


LIVE AND STATIC TOOLHOLDERS **BMT45**



DOOSAN	LYNX 2100 MA
	LYNX 220 LMSA/LMSC
	LYNX 220 LSYA/LSYC
	LYNX 220 M/LM
	LYNX 220 MA/LMA/MC/LMC
	LYNX 220 YA/YC/LYA/LYC
	PUMA MX 1600 T/ST
	PUMA TT 1300 SY/SYY
DMC	DL 6TM
EMCO	HYPERTURN45
FOCUS CNC	FNL 220 Y/LY/LSY 16ST
	FNL-160, 220LSY
GANESH	GENTURN 52/65 MSY
HARDINGE	BMT45
	H-51, TT-42/51 (BMT45-16T)
	T-42/51 (BMT45)
HWACHEON	CUTEX 180 (16 ST) (BMT45)
	HI-TECH 230 (20 ST) (BMT45)
HYUNDAI WIA	SE 2200 MA
JYOTI	AX 200 (BMT45)
	TMC 250, 350 (BMT45)
ROMI	GL250 S/Y
SMEC	PL 1600 M/CM
TORNOS	SWISS DECO
VICTOR	VTurn-NP16CM

CONNECTION TURRET-BMT45






LIVE TOOLHOLDERS BMT45

Straight BMT drilling and milling head


Direction of rotation: 




Code	D	Tool grip	Internal Cooling	F	W	W1	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-45/101-25/1(DO)	45	ER25	no	69	78.5	75	50	6000	1:1	-
NGT2-45/101-25/2(DO)	45	ER25	yes	69	78.5	75	50	6000	1:1	20

Angular BMT drilling and milling head


Direction of rotation: 


Code	D	Tool grip	Internal Cooling	Direction	A	B	F	T	W	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-45/201-25/1.3-65(DO)	45	ER25	no	right/left	65	57	98	36.5	75	50	6000	1:1	-
NGT2-45/201-25/2.3-65(DO)	45	ER25	yes	right/left	65	57	98	36.5	75	50	6000	1:1	20
NGT2-45/201-25/3.3-65(DO)	45	ER25	no	right/left	65	68	98	36.5	75	50	6000	1:1	80

Variable angle BMT drilling and milling head


Direction of rotation: 





Code	D	Tool grip	Internal Cooling	Direction	A	B	F	T	W1	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-45/501-25/1(DO)	45	ER25	no	right/left	80	59	65	40	80	16	6000	1:1	-
NGT2-45/501-25/2(DO)	45	ER25	yes	right/left	80	59	65	40	80	16	6000	1:1	20

STATIC TOOLHOLDERS BMT45

Universal turning holder

NGT OD-45x20x65(DO)



External cooling/**Internal cooling 80bar**



Universal turning face holder

NGT F-45x20x65(DO)


External cooling 80bar



Boring bar holder

NGT ID 45x32x65(DO)



External/Internal cooling 80bar



STATIC TOOLHOLDERS BMT45

Cut off toolholder

NGT CR-45x26(DO)
External cooling (RIGHT)



Cut off toolholder

NGT CL-45x26(DO)
External cooling (LEFT)

