


LIVE AND STATIC TOOLHOLDERS

BMT 55

ACCUWAY	UT-100 Y (BMT)
ALEX-TECH	VT-27G, 30-33BLMC (BMT55)
CHIAH CHYUN	ML-250
	WTS-52/65Y2M
DMC	DL 21-22 M/LMS
	DL 25 MS/Y/SY/LSY
DOOSAN	Lynx 2600 Y/SY
	Lynx 300 M
	PUMA 1500/2000/2500 M/S/Y
	PUMA 2100 Y/LY/SY/LSY
	PUMA 2100/2600/3100 M/Y/MS/SY
	PUMA 230/240/280 M/LM/S
	PUMA GT 2100/2600 M/MB
	PUMA H250 T M
	PUMA MX 1600 T/ST (BMT55)
	PUMA MX 2100 T/ST
	PUMA QL 200 H M
	PUMA TL 2000/2500 M/LM
	PUMA TT 1500/1800 MS/SY
	PUMA TT 2100 SY
	SMX2100ST
	TW 2100 M
	TW 2600 M
FOCUS CNC	FBL 230MC
	FNL/FBL-250SY (16ST, BMT55)
GANESH	ASL-100 MY (BMT55)
	GENTURN WTS-Y2M
HARDINGE	BMT55
	H-51 (BMT55)
	T-51, 65 (BMT55)
HEADMAN	Hi5000M
	T55 M/MS
HWACHEON	CUTEX 160/180 (BMT55)
	VT-450 (BMT55)
HYUNDAI WIA	HD 2200 M/MC
	HD 2600 M
	L 160/230 MA/MC/LMA/LMSA
	LF 1600/2100/2600 M/2SP
	LM 1600/1800 TTMS/TTSY
	SKT 160/180 TTSY


JYOTI	AX 300 (BMT55)
LEADWELL	T7i M/SM (BMT55)
LMW	LL20MYL5 (BMT55)
MAZAK	QT Ez 8/10/12 M/MSY/MY BMT55
ROMI	GL300 S/Y
SMART	NL 2000 ASY/BSY/AY/BY
SMEC	PL 240 LM/LMB
	PL 250 VM
	SL 1500, 2000M/Y/SY
	SL 20 MC
	SL 250 MC
TONGTAI	TD-2000, 2500Y 16ST
VICTOR	VTURN A16/A20 YSCM
	VTURN A200 CM/SCM/YCM/YSCM
	VTURN-NP20CM
	VTURN-Q200
WIA(KIA)	L160 MA/LMA/LMSA
	L230 MA/LMA/MC/LMSA
	LM1600 MS/SY
	LM1800 MS/SY
YCM	NTC 1600 LS/LSY/M/LM/Y/LY
	NTC 2000 LS/LSY/M/LM/Y/LY

CONNECTION TURRET - BMT55





LIVE TOOLHOLDERS BMT55

Straight BMT drilling and milling head

 Direction of rotation: 


Code	D	Tool grip	Internal Cooling	F	W	W1	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-55/101-25/1(DO)	55	ER25	no	70	87	85	50	6000	1:1	-
NGT2-55/101-25/2(DO)	55	ER25	yes	70	87	85	50	6000	1:1	20
NGT2-55/101-32/1(DO)	55	ER32	no	73	87	85	50	6000	1:1	-
NGT2-55/101-32/2(DO)	55	ER32	yes	73	87	85	50	6000	1:1	20

Angular BMT drilling and milling head

 Direction of rotation: 





Code	D	Tool grip	Internal Cooling	Direction	A	B	F	T	W	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-55/201-25/1.3-70(DO)	55	ER25	no	right/left	70	57	98	36,5	85	50	6000	1:1	-
NGT2-55/201-25/2.3-70(DO)	55	ER25	yes	right/left	70	57	98	36,5	85	50	6000	1:1	20
NGT2-55/201-25/1.3-85(DO)	55	ER25	no	right/left	85	57	98	36,5	85	50	6000	1:1	-
NGT2-55/201-25/2.3-85(DO)	55	ER25	yes	right/left	85	57	98	36,5	85	50	6000	1:1	20
NGT2-55/201-32/1.3-85(DO)	55	ER32	no	right/left	85	57	101	36,5	85	50	6000	1:1	-
NGT2-55/201-32/2.3-85(DO)	55	ER32	yes	right/left	85	57	101	36,5	85	50	6000	1:1	20
NGT2-55/201-32/1.3-70(DO)	55	ER32	no	right/left	70	57	101	36,5	85	50	6000	1:1	-
NGT2-55/201-32/2.3-70(DO)	55	ER32	yes	right/left	70	57	101	36,5	85	50	6000	1:1	20
NGT2-55/201-32/3.3-70(DO)	55	ER32	yes	right/left	70	68	101	36,5	85	50	6000	1:1	80
NGT2-55/201-25/3.3-70(DO)	55	ER25	yes	right/left	70	68	98	36,5	85	50	6000	1:1	80
NGT2-55/201-25/3.3-85(DO)	55	ER25	yes	right/left	85	68	98	36,5	85	50	6000	1:1	80
NGT2-55/201-32/3.3-85(DO)	55	ER32	yes	right/left	85	68	101	36,5	85	50	6000	1:1	80

STATIC TOOLHOLDERS BMT55

Universal turning holder

NGT OD-55x25x75(DO)



External cooling/**Internal cooling 80bar**



Universal turning face holder

NGT F-55x25x95(DO)

External cooling 80bar





Boring bar holder

NGT ID-55x40x60(DO)

NGT ID-55x40x85(DO)

NGT ID-55x40x100(DO)


External/Internal cooling 80bar



STATIC TOOLHOLDERS BMT55

Cut off toolholder

NGT CR-55x32(DO)
External cooling (RIGHT)



Cut off toolholder

NGT CL-55x32(DO)
External cooling (LEFT)

