


OKUMA LIVE AND STATIC TOOLHOLDERS BMT60

OKUMA	GENOS L300 MW
	GENOS L3000 E-M
	LB 2000 EX M
	LB 2500 EX M
	LB 3000 EX M
	LU 2000 EX M/MY
	LU 2500 EX M/MY
	LU 3000 EX M/MY

CONNECTION TURRET - OKUMA BMT60




OKUMA LIVE AND STATIC TOOLHOLDERS BMT60

Straight BMT drilling and milling head




Direction of rotation: ↺↻




Code	D	Tool grip	Internal Cooling	F	W	W1	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-60/101-32/1(JA)	60	ER32	no	87	97	100	70	6000	1:1	-
NGT2-60/101-32/2(JA)	60	ER32	yes	87	97	100	70	6000	1:1	20

Angular BMT drilling and milling head




Direction of rotation: ↺↻




Code	D	Tool grip	Internal Cooling	Direction	A	B	F	T	W	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-60/201-32/1.3-70(JA)	60	ER32	no	right/left	70	59	111	38	94	70	6000	1:1	-
NGT2-60/201-32/2.3-70(JA)	60	ER32	yes	right/left	70	59	111	38	94	70	6000	1:1	20
NGT2-60/201-32/3.3-70(JA)	60	ER32	yes	right/left	70	70	111	38	94	70	6000	1:1	80

Double angular BMT drilling and milling head



Direction of rotation: ↺↻ / ↻↺



Code	D	Tool grip	Internal Cooling	Direction	A	F1	F2	T	W	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-60/201-32D/1.3-70(JA)	60	ER32	no	right/left	70	91	104	38	94	70	6000	1:1	-
NGT2-60/201-32D/2.3-70(JA)	60	ER32	yes	right/left	70	91	104	38	94	70	6000	1:1	20



OKUMA LIVE AND STATIC TOOLHOLDERS

BMT60

Universal turning holder

NGT OD-60x25x75(JA)



External/Internal cooling 80bar



Universal turning face double holder

NGT F-60x25x70D(JA)


External cooling 80bar



Boring bar holder

NGT ID-60x40x90(JA)

External/Internal cooling 80bar




OKUMA LIVE AND STATIC TOOLHOLDERS BMT60

OKUMA


LB 4000 EX M

CONNECTION TURRET - OKUMA BMT60





OKUMA LIVE AND STATIC TOOLHOLDERS BMT60

Straight BMT drilling and milling head

Direction of rotation: 


Code	D	Tool grip	Internal Cooling	F	W	W1	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-60/101-40/1(JB)	60	ER40	no	82	100	110	80	6000	1:1	-
NGT2-60/101-40/2(JB)	60	ER40	yes	82	100	110	80	6000	1:1	20

Angular BMT drilling and milling head

Direction of rotation: 


Code	D	Tool grip	Internal Cooling	Direction	A	B	F	T	W	Torque [Nm]	Speed [rpm]	Ratio	P [bar]
NGT2-60/201-40/1.3-85(JB)	60	ER40	no	right/left	85	64	121	44	100	80	6000	1:1	-
NGT2-60/201-40/2.3-85(JB)	60	ER40	yes	right/left	85	64	121	44	100	80	6000	1:1	20
NGT2-60/201-40/3.3-85(JB)	60	ER40	yes	right/left	85	75	121	44	100	80	6000	1:1	80



OKUMA LIVE AND STATIC TOOLHOLDERS

BMT60

Universal turning holder

NGT OD-60x25x75(JB)


External/Internal cooling 80bar



Universal turning face double holder

NGT F-60x25x70D(JB)

External cooling 80bar



Boring bar holder

NGT ID-60x40x90(JB)

External/Internal cooling 80bar

